

24V sealed lead-acid

chargers



UPG No. 71703

UPG No. 71705



UPG No. 71704



UPG No. 71737



UPG No. 71700



UPG No. 71748

| UPG No. | Model No. | Description | Voltage |
|---------|---------------|---|---------|
| 71703 | 24BC2000TU-1 | 24V 2A Charger 3-stage | 24 |
| 71759 | 24BC3000T-1 | 24V 3A Charger | 24 |
| 71704 | 24BC5000TF-1 | 24V 5A Charger w/Fan For AGM | 24 |
| 71705 | 24BC5000TFG-1 | 24V 5A Charger w/Fan For Gel | 24 |
| 71700 | 24BC5000TU-1 | 24V 5A No Fan Charger (Convection Cooled) | 24 |
| 71748 | 24BC8000T-1 | 24V 8A No Fan Charger (Convection Cooled) | 24 |

^{*} All 24V Chargers UL'd

solar chargers





UPG No. 87512

| UPG No. | Model No. | Description |
|---------|--------------|--|
| 87511 | 682-SP60-12V | Water Proof Solar Panel Charger, Power (Max) |
| | | 1260mw, Voltage Voc 18V, Current (Max) 70mA, |
| | | Current Min 60mA |
| 87512 | 682-SP60-6V | Water Proof Solar Panel Charger, Power (Max) |
| | | 630mw, Voltage Voc 9V, Current (Max) 70mA, |
| | | Current Min 60mA |
| | | |

Do not see what you need? Contact sales@upgi.com or 866.892.1122 to speak with a Sales Representative.

sealed lead-acid chargers







UPG No. D1741



UPG No. D1724



UPG No. D1733



UPG No. D1730



UPG No. D1761



UPG No. 71758



UPG No. 84036



UPG No. 84037



UPG No. 84038

| UPG No. | Model No. | Description |
|----------|-----------------|--|
| D1732-01 | 6BC0500S-1 | 6V, 500mA Unregulated, Single Stage Charger |
| D1741 | 6BC0500D-1 | 6V, 500mA Regulated, Dual Stage Charger (7.4V Fast Charge; 6.8V Trickle) |
| D1724 | 6-12BC0500S-1 | 6/12V Switchable 500mA Unregulated, Single Stage Charger w/Alligator Clips |
| D1733 | 12BC0500S-1 | 12V, 500mA Unregulated, Single Stage Charger w/Alligator Clips |
| D1730 | 12BC0500D-1 | 12V, 500mA Regulated, Dual Stage Charger (14.8V Fast Charge, 13.6V Trickle) |
| D1761 | 12BC1000D-1 | 12V, 1000mA Regulated, Dual Stage Charger (14.8V Fast Charge, 13.6V Trickle) |
| 84036 | Maintainer 1000 | Adventure Power® 12V, 1000mA Regulated, Dual Stage Charger/Maintainer |
| 84037 | Maintainer 2000 | Adventure Power® 12V, 2000mA Regulated Dual Stage Charger/Maintainer |
| 84038 | Maintainer 4000 | Adventure Power® 12V, 4000mA Regulated Dual Stage Charger/Maintainer |

Do not see what you need? Contact sales@upgi.com or 866.892.1122 to speak with a Sales Representative.

charger

leads













UPG No. D1764

UPG No. D1765

UPG No. D1766 UPG No. D1767

UPG No. 71795

UPG No. 71796

| UPG No. | Model No. | Description |
|---------|-----------------------|---|
| D1764 | 2.1mm Barrel Ctr | 6 Foot Cord with 2.1mm Barrel Center Plug |
| D1765 | Female Cigarette Plug | 6 Foot Cord with Female Cigarette Plug |
| D1766 | Alligator Clips | 6 Foot Cord with Alligator Clips |
| D1767 | .250 Female Tabs | 6 Foot Cord with .250 Female Tabs |
| 71795 | N/A | Alligator Clips |
| 71796 | N/A | Fused Ring Terminal Harness |

ctek chargers









UPG No. 33106

UPG No. 33109

UPG No. 33110

UPG No. 33105

UPG No. Description

| 33106 | Switch Mode with Pulse Maintenance |
|-------|--|
| 33109 | CTEK 7002 Charger, 14.4/14.7V (Supply Mode)/15.8V(Recond) Charging Voltage, Max 7A Charging Current, |

Eight Step, Fully Automatic Switch Mode, Eight Step, Fully Automatic Switch Mode with Pulse Maintenance

33110 CTEK 16V Charger, 12V Wet 14.4V, AGM 14.7V/16V Wet 19.2V, AGM 19.6V Charging Voltage, Max 7A 12V, Max 5A 16V Charging Current, Seven Step, Fully Automatic Charging Cycle

CTEK 25000 Charger, 14.4V/14.7V/13.6V (Supply Mode)/15.8V (Recond), Temperature Compensated Charging Voltage, Max 25A Charging Current, Eight Step, Fully Automatic Switch Mode with Pulse Maintenance

ctek

accessories







UPG No. 33107

UPG No. 33108

UPG No. 33120

| UPG N | lo. | Descri | iption |
|--------------|-----|--------|--------|
| | | | |

33107 CTEK 56380 - Comfort Indicator Panel33108 CTEK 56382 - Comfort Indicator Eyelet

33120 CTEK 56-263 - Comfort Connect Plug

kisae

chargers & inverters



UPG No. 84206



UPG No. 84207



UPG No. 84211



UPG No. 84212



UPG No. 84213



UPG No. 84222, 84223



UPG No. 84201



UPG No. 84207

| UPG No. | Description |
|---------|--|
| 84206 | 1000W Inverter w/ 40A Charger |
| 84207 | 2000W Inverter w/ 55A Charger |
| 84211 | 12V 20A Smart Deep Cycle Battery Charger |
| 84212 | 12V 40A Smart Deep Cycle Battery Charger |
| 84213 | 12V 60A Smart Deep Cycle Battery Charger |
| 84208 | 3000 Watt Sinewave Inverter with 150A Charger |
| 84222 | 2000 Watt Sinewave Inverter with 100A Charger |
| 84223 | 4000 Watt Sinewave Inverter with 90A Chrger - 230 VAC |
| 84203 | 400 Watt Continuous Output Power, 800 Watt Surge Power |
| 84204 | 1000 Watt Continuous Output Power, 2000 Watt Surge Power |
| 84205 | 2000 Watt Continuous Output Power, 4000 Watt Surge Power |
| 84201 | 3000 Watt Continuous Output Power, 6000 Watt Surge Power |
| | |

