

SAFETY DATA SHEET

In Accordance with Directive 2001/58/CE

Revision Date: 2/19/2018 Ver 5.0

Batteries are articles as defined under the GHS and exempt from GHS classification criteria (Section 1.3.2.1.1 of the GHS). The information and recommendations set forth herein are provided as a service to our customers.

1. Chemical Product

Product Identifier: Dry Battery Alkaline Zn/MgO₂
Uses Advised Against: Any Other Not Listed Above
Supplier: Manufacture for Universal Power Group, Inc.

Address: 120 Dividend Drive, Suite 100, Coppell, Texas 75019 **Emergency Telephone Number:** US/CAN: 1-800-424-9300

Website: www.upgi.com

2. Hazards identifications

General: Alkaline battery --- The Common known rules for handing of chemical power

source should be obeyed. Do not heat, recharge, disassemble the product or

dispose of in fire.

Physical-Chemical Hazards: The chemical materials concluded in the Product is sealed up, thus being

stable, safe and eco-friendly under common conditions, may not cause

physical-chemical hazards.

Hazards to Human being: Disassemble the product without a professional basis, may cause leakage of

the electrolyte and irritation to skin.

3. Composition /Information on Ingredients:

Chemical Nature:

Chemical power source

CAS-No/EINECS NO .:

Not applicable.

INCI CTFA-Description:

Alkaline Zinc-Manganese Dry Battery

Tariff No.:

"W" 85.06

IMPORTANT NOTE: The battery shall not be opened or burned. Exposure to the ingredients contained within or their combustion products could be harmful.

MATERIAL OR INGREDIENT	CAS#	PEL (OSHA)	TLV (ACGIH)	% (by Wt.)
Graphite	7782-42-5	15 mg/m ³ TWA (total dust) 5 mg/m ³ TWA (respirable fraction)	2 mg/m³ TWA (respirable fraction)	2~6
Manganese Dioxide	1313-13-9 5 mg/m³ Ceiling (as Mn) 0.2 mg/m³ TWA (as Mn)		30~45	
Potassium Hydroxide	1310-58-3	None established	2 mg/m³ Ceiling	4~8
Zinc	7440-66-6	15 mg/m³ TWA PNOR* (total dust) 5 mg/m³ TWA PNOR* (respirable fraction)	10 mg/m³ TWA PNOC** (inhalable particulate) 3 mg/m³ TWA PNOC** (respirable particulate)	12~25
Ferric	7439-89-6	None established	None established	15~30
packing (PET)	-	None established	None established	0.5~2

^{*} PNOR: Particulates not otherwise regulated

Hazards to environment: Dispose the product without separate collection, may lead to pollution

caused by Hg/ Cd/ Pb (micro trace), or by the electrolyte of alkaline

solution.

4. First-aid measures

Inhalation: Not applicable.

Skin Contact: Wash with clear water immediately once leakage happens and the inner liquid splashes onto

skin.

Eye contact: Rinse eyes immediately with running water for at least ten minutes. Consult an

ophthalmologist.

Ingestion: Rinse mouth with water; Give plenty of water to drink. Obtain medical advice.

5. Fire-fighting measures

Suitable extinguishing media: Carbon dioxide (CO₂), foam, dry chemical powder.

Extinguishing media not to be used: Never use a direct water jet, may pollute the water

system.

Exposure hazards from combustion products: In case of fire, carbon monoxide or other toxic

organic substances may be generated.

Do not inhale fumes and smoke.

Personal protective equipments: Wear full protective clothing. Use self contained

breathing apparatus.

* Remark: It can be extinguished by car extinguisher as well.

6. Accidental release measures

Personal precautions: Wear protective clothing. Keep unprotected persons away.

Environmental precautions: Avoid discharge and penetration into sewerage systems, waterways, pits, and

cellars.

Methods for cleaning up: Collect spilled material with an insert standard absorbent like sand or silica.

Care for well-Ventilated conditions. Recycle or dispose of the materials in an

appropriate way.

7. Handling and storage

General: Obey the common known rules and precautions for handling with chemical

power sources.

Fire/Explosion protections: Explosion may happen if short-circuit; collect spilled material with an insert

standard absorbent like sand or silica.

Storage: Store product in clean, cool and ventilated place with a temperature between

 10° C and 30° C (no higher than 40° C in the ordinary course of events) and a relative humidity no higher than 65%; the storage time should not be too long; the batteries should be well-arranged, and do avoid sort-circuit caused by the

contact of the positive and negative electrodes.

8. Exposure controls/Personal protection

Exposition/ Technical measures: Not applicable.

Protection of hands, eyes and skin: To protect hands, eyes and skin, do not disassemble the product without professional basis.

9. Physical and chemical propertied

Physical state	Solid	Solubility in water	not applicable
Color	not applicable	Vapor pressure	not applicable
Odor	not applicable	Explosion limit	not applicable
pH value	not applicable	Oxidizing properties	not applicable
Specific gravity	not applicable	Flashpoint	not applicable
Refractive index	not applicable	Auto flammability	not applicable
Solubility in ethanol	not applicable	Partition coefficient	not applicable
Melting Point	not applicable	Boiling Point	not applicable
Freezing Point	not applicable		

10. Stability and Reactivity

The chemical materials concluded in the Product are sealed up, thus being stable, safe and eco-friendly under common conditions.

11. Toxicological information

The product is multi component mixture for which no toxicological data exists.

Precautions avoid disassembling the product without a professional basis.

12. Ecological information

In general, no ecological data is available for preparations.

Precautions avoid disposing into drainage systems and into the environment.

13. Disposable considerations

Precautions avoid disposing waste products into environment, sewerage, landfills or by incineration.

Obey the rules and precautions for separate collection and recycling of the waste products.

14. Transport Information

Caution for handling

Avoid rough handling of battery cartons. Batteries shall be kept in dry and cool conditions. Do not place batteries in a place exposed to direct sunshine for a long time or splashed by rain water. Do not mix unpacked batteries so as to avoid mechanical damage and/or short-circuit among each other.

Compliance with special Provision of transportation

Because our battery is compliance with US DOT special provision 130 and IATA SP A123 as followings, any transportation is available.

Alkaline Manganese Batteries are considered to be "dry cell" batteries and are unregulated for purposes of transportation by the U.S. Department of Transportation (DOT), International Civil Aviation

Administration(ICAO), International Air Transport Association (IATA) and the International Maritime

Organization(IMO). The only requirement for shipping these batteries by DOT is Special Provision 130 which states: "Batteries, dry are not subject to the requirements of this subchapter only when they are offered for transportation in a manner that prevents the dangerous evolution of heat(for example,by the effective insulation of exposed terminals). The requirements for shipping of theses batteries by ICAO and IATA is Special Provision A123 which states:"A battery or battery powered device having the potential of dangerous evolutions of heat that is not prepared so as to prevent a short-circuit (e.g. in the case of batteries, by the effective insulation of exposed terminals; or in the case of equipment, by disconnection of the battery and protection of exposed terminals) is forbidden from transportation. In addition, in the case of air transportation of batteries which is conformed to this requirement, the information" Not restricted, as per Special Provision A123" shall be noted in certain column of "Substances" of "air waybill."

Our battery complies above requirements because of implementation of applicable packaging preventing outer short-circuit by applying effective packing and obeying of waybill notation requirement.

15. Regulatory Information

Symbol:

for transportation, collection, or environment protection (stipulated respectively

by each contract).

Contains: transportation marks;

"separate collection" symbol;

"RoHS" symbol (maybe), etc.

16. Other information

The information on this Safety Date Sheet (SDS) was obtained from current and reputable sources. For any other question, please contact the manufacturer for further information.